


PCS SERIES CHANNEL SCREED

Specify as: **Pittcon Plaster Molding**

Model No. **PCS-xx-xxx**
PCS-xx-V-xxx (vented)

MATERIAL: Aluminum alloy.....6063 T5
Finish.....Clear Anodized
Thickness......050" nominal


Many optional finishes are available. Consult factory for pricing and availability. Finishes meet or exceed AAMA standards for scratches or blemishes.



NO SCALE

TYPICAL SECTION

Model No.	Width-Dim 'A'	Depth-Dim 'B'
PCS-75-50	1/2" (12.7mm)	3/4" (19.1mm)
PCS-75-V-50	1/2" (12.7mm)	3/4" (19.1mm)
PCS-75-75	3/4" (19.1mm)	3/4" (19.1mm)
PCS-75-V-75	3/4" (19.1mm)	3/4" (19.1mm)
PCS-75-100	1" (25.1mm)	3/4" (19.1mm)
PCS-75-V-100	1" (25.1mm)	3/4" (19.1mm)
PCS-75-150	1-1/2" (38.1mm)	3/4" (19.1mm)
PCS-75-V-150	1-1/2" (38.1mm)	3/4" (19.1mm)
PCS-75-200	2" (50.8mm)	3/4" (19.1mm)
PCS-75-V-200	2" (50.8mm)	3/4" (19.1mm)
PCS-75-250	2-1/2" (63.5mm)	3/4" (19.1mm)
PCS-75-V-250	2-1/2" (63.5mm)	3/4" (19.1mm)
PCS-75-300	3" (76.2mm)	3/4" (19.1mm)
PCS-75-V-300	3" (76.2mm)	3/4" (19.1mm)
PCS-75-400	4" (101.6mm)	3/4" (19.1mm)
PCS-75-V-400	4" (101.6mm)	3/4" (19.1mm)
PCS-75-600	6" (152.4mm)	3/4" (19.1mm)
PCS-75-V-600	6" (152.4mm)	3/4" (19.1mm)
<hr/>		
PCS-100-100	1" (25.1mm)	1" (25.1mm)
PCS-100-V-100	1" (25.1mm)	1" (25.1mm)



© 2008 Pittcon Industries

West

2090 Del Rio Way, Unit B
Ontario, CA 91761
Phone: (909) 773-0001
Fax: (909) 773-0091

3330 W. Flower Street
Phoenix, AZ 85017
Phone: (602) 233-9100
Fax: (602) 233-9400

**Pittcon
Industries**
DIVISION OF PITTCOON ARCHITECTURAL METALS, LLC
800 637-7638

East

6409 Rhode Island Ave.
Riverdale, MD 20737
Phone: (301) 927-1000
Fax: (301) 699-8690

FPM SERIES


'F' MOLDING

Specify as: Pittcon Plaster Molding

Model No. FPM-xx-xxx
FPM-xx-V-xxx (vented)

MATERIAL: Aluminum alloy.....6063 T5
Finish.....Clear Anodized
Thickness......050" nominal


Many optional finishes are available. Consult factory for pricing and availability. Finishes meet or exceed AAMA standards for scratches or blemishes.



NO SCALE

TYPICAL SECTION

Model No.	Width-Dim 'A'	Depth-Dim 'B'
FPM-75-50	1/2" (12.7mm)	3/4" (19.1mm)
FPM-75-V-50	1/2" (12.7mm)	3/4" (19.1mm)
FPM-75-75	3/4" (19.1mm)	3/4" (19.1mm)
FPM-75-V-75	3/4" (19.1mm)	3/4" (19.1mm)
FPM-75-100	1" (25.1mm)	3/4" (19.1mm)
FPM-75-V-100	1" (25.1mm)	3/4" (19.1mm)
FPM-75-150	1-1/2" (38.1mm)	3/4" (19.1mm)
FPM-75-V-150	1-1/2" (38.1mm)	3/4" (19.1mm)
FPM-75-200	2" (50.8mm)	3/4" (19.1mm)
FPM-75-V-200	2" (50.8mm)	3/4" (19.1mm)
<hr/>		
FPM-100-100	1" (25.1mm)	1" (25.1mm)
FPM-100-V-100	1" (25.1mm)	1" (25.1mm)



© 2008 Pittcon Industries

West

2090 Del Rio Way, Unit B
Ontario, CA 91761
Phone: (909) 773-0001
Fax: (909) 773-0091

3330 W. Flower Street
Phoenix, AZ 85017
Phone: (602) 233-9100
Fax: (602) 233-9400

Pittcon Industries
DIVISION OF PITTCOON ARCHITECTURAL METALS, LLC
800 637-7638

East

6409 Rhode Island Ave.
Riverdale, MD 20737
Phone: (301) 927-1000
Fax: (301) 699-8690


TRM SERIES 'T' MOLDING

Specify as: Pittcon Plaster Molding

Model No. TRM-xx-xxx
TRM-xx-V-xxx (vented)

MATERIAL: Aluminum alloy.....6063 T5
Finish.....Clear Anodized
Thickness......050" nominal


Many optional finishes are available. Consult factory for pricing and availability. Finishes meet or exceed AAMA standards for scratches or blemishes.



NO SCALE

TYPICAL SECTION

Model No.	Width-Dim 'A'	Depth-Dim 'B'
TRM-75-75	3/4" (19.1mm)	3/4" (19.1mm)
TRM-75-V-75	3/4" (19.1mm)	3/4" (19.1mm)
TRM-75-100	1" (25.4mm)	3/4" (19.1mm)
TRM-75-V-100	1" (25.4mm)	3/4" (19.1mm)
TRM-75-150	1-1/2" (38.1mm)	3/4" (19.1mm)
TRM-75-V-150	1-1/2" (38.1mm)	3/4" (19.1mm)
TRM-75-200	2" (50.8mm)	3/4" (19.1mm)
TRM-75-V-200	2" (50.8mm)	3/4" (19.1mm)
TRM-100-100	1" (25.1mm)	1" (25.1mm)
TRM-100-V-100	1" (25.1mm)	1" (25.1mm)



© 2008 Pittcon Industries

West

2090 Del Rio Way, Unit B
Ontario, CA 91761
Phone: (909) 773-0001
Fax: (909) 773-0091

3330 W. Flower Street
Phoenix, AZ 85017
Phone: (602) 233-9100
Fax: (602) 233-9400

Pittcon Industries
DIVISION OF PITTCON ARCHITECTURAL METALS, LLC
800 637-7638

East

6409 Rhode Island Ave.
Riverdale, MD 20737
Phone: (301) 927-1000
Fax: (301) 699-8690


DS SERIES DRIP SCREED

Specify as: **Pittcon Plaster Molding**

Model No. **DS-xx-875**
DS-xx-V-875 (vented)

MATERIAL: Aluminum alloy.....6063 T5
Finish.....Clear Anodized
Thickness......050" nominal


Many optional finishes are available. Consult factory for pricing and availability. Finishes meet or exceed AAMA standards for scratches or blemishes.



NO SCALE

TYPICAL SECTION

Model No.	Width-Dim 'A'	Reveal Width-Dim 'B'
DS-875-875	7/8" (22.2mm)	7/8" (22.2mm)
DS-875-V-875	7/8" (22.2mm)	7/8" (22.2mm)
DS-875-300	7/8" (22.2mm)	3" (76.2mm)
DS-875-V-300	7/8" (22.2mm)	3" (76.2 mm)



© 2008 Pittcon Industries

West

2090 Del Rio Way, Unit B
Ontario, CA 91761
Phone: (909) 773-0001
Fax: (909) 773-0091

3330 W. Flower Street
Phoenix, AZ 85017
Phone: (602) 233-9100
Fax: (602) 233-9400

**Pittcon
Industries**
DIVISION OF PITTCOON ARCHITECTURAL METALS, LLC
800 637-7638

East

6409 Rhode Island Ave.
Riverdale, MD 20737
Phone: (301) 927-1000
Fax: (301) 699-8690


JPM SERIES 'J' MOLDINGS

Specify as: Pittcon Plaster Molding

Model No. JPM-xx

MATERIAL: Aluminum alloy.....6063 T5
 Finish.....Clear Anodized
 Thickness......050" nominal


Many optional finishes are available. Consult factory for pricing and availability. Finishes meet or exceed AAMA standards for scratches or blemishes.



NO SCALE

TYPICAL SECTION

Model No.	Depth-Dim 'A'
JPM-75	3/4" (19.1mm)
JPM-100	1" (25.4mm)



© 2008 Pittcon Industries



2090 Del Rio Way, Unit B
 Ontario, CA 91761
 Phone: (909) 773-0001
 Fax: (909) 773-0091

3330 W. Flower Street
 Phoenix, AZ 85017
 Phone: (602) 233-9100
 Fax: (602) 233-9400

Pittcon Industries
 DIVISION OF PITTCOON ARCHITECTURAL METALS, LLC
800 637-7638



6409 Rhode Island Ave.
 Riverdale, MD 20737
 Phone: (301) 927-1000
 Fax: (301) 699-8690


XPM SERIES CORNER MOLD

Specify as: **Pittcon Plaster Molding**

Model No. **XPM-75-75**

MATERIAL: Aluminum alloy.....6063 T5
 Finish.....Clear Anodized
 Thickness......050" nominal


Many optional finishes are available. Consult factory for pricing and availability. Finishes meet or exceed AAMA standards for scratches or blemishes.



NO SCALE

TYPICAL SECTION

Model No.	Width-Dim 'A'	Depth-Dim 'B'
XPM 75-75	3/4" (19.1mm)	3/4" (19.1mm)



© 2008 Pittcon Industries

West

2090 Del Rio Way, Unit B
 Ontario, CA 91761
 Phone: (909) 773-0001
 Fax: (909) 773-0091

3330 W. Flower Street
 Phoenix, AZ 85017
 Phone: (602) 233-9100
 Fax: (602) 233-9400

**Pittcon
 Industries**
DIVISION OF PITTCOON ARCHITECTURAL METALS, LLC
800 637-7638

East

6409 Rhode Island Ave.
 Riverdale, MD 20737
 Phone: (301) 927-1000
 Fax: (301) 699-8690

PCS-2PC. SERIES


TWO PIECE CONTROL SCREED

Specify as: Pittcon Plaster Molding

Model No. PCS-75-xx 2PC.

MATERIAL: Aluminum alloy.....6063 T5
 Finish.....Clear Anodized
 Thickness......050" nominal

Many optional finishes are available. Consult factory for pricing and availability. Finishes meet or exceed AAMA standards for scratches or blemishes.





+/- 1/4" MOVEMENT

NO SCALE

TYPICAL SECTION

Model No.	Width -Dim 'A'	Depth
-----------	----------------	-------

PCS-75-25 2PC.	1/4" (6.4mm)	3/4" (19.1mm)
PCS-75-50 2PC.	1/2" (12.7mm)	3/4" (19.1mm)
PCS-75-75 2PC.	3/4" (19.1mm)	3/4" (19.1mm)
PCS-75-100 2PC.	1" (25.4mm)	3/4" (19.1mm)
PCS-75-150 2PC.	1-1/2" (38.1mm)	3/4" (19.1mm)



© 2008 Pittcon Industries

West

2090 Del Rio Way, Unit B
 Ontario, CA 91761
 Phone: (909) 773-0001
 Fax: (909) 773-0091

3330 W. Flower Street
 Phoenix, AZ 85017
 Phone: (602) 233-9100
 Fax: (602) 233-9400

Pittcon Industries
 DIVISION OF PITTCO ARCHITECTURAL METALS, LLC
 800 637-7638

East

6409 Rhode Island Ave.
 Riverdale, MD 20737
 Phone: (301) 927-1000
 Fax: (301) 699-8690


PCM-75 CORNER MOLD

Specify as: Pittcon Plaster Molding

Model No. PCM-75

MATERIAL: Aluminum alloy.....6063 T5
 Finish.....Clear Anodized
 Thickness......050" nominal


Many optional finishes are available. Consult factory for pricing and availability. Finishes meet or exceed AAMA standards for scratches or blemishes.



NO SCALE

TYPICAL SECTION

Model No.	Depth
PCM-75	3/4" (19.1mm)



© 2008 Pittcon Industries



2090 Del Rio Way, Unit B
 Ontario, CA 91761
 Phone: (909) 773-0001
 Fax: (909) 773-0091

3330 W. Flower Street
 Phoenix, AZ 85017
 Phone: (602) 233-9100
 Fax: (602) 233-9400

Pittcon Industries
 DIVISION OF PITTCOON ARCHITECTURAL METALS, LLC
 800 637-7638



6409 Rhode Island Ave.
 Riverdale, MD 20737
 Phone: (301) 927-1000
 Fax: (301) 699-8690

WRM-75-75


'W' REVEAL MOLDING

Specify as: Pittcon Plaster Molding

Model No. **WRM-75-75**
WRM-75-V-75 (vented)

MATERIAL: Aluminum alloy.....6063 T5
 Finish.....Clear Anodized
 Thickness......050" nominal


Many optional finishes are available. Consult factory for pricing and availability. Finishes meet or exceed AAMA standards for scratches or blemishes.



NO SCALE

TYPICAL SECTION

Model No.	Width	Depth
WRM-75-75	3/4" (19.1mm)	3/4" (19.1mm)
WRM-75-V-75	3/4" (19.1mm)	3/4" (19.1mm)



© 2008 Pittcon Industries



2090 Del Rio Way, Unit B
 Ontario, CA 91761
 Phone: (909) 773-0001
 Fax: (909) 773-0091

3330 W. Flower Street
 Phoenix, AZ 85017
 Phone: (602) 233-9100
 Fax: (602) 233-9400

Pittcon Industries
 DIVISION OF PITTCOON ARCHITECTURAL METALS, LLC
 800 637-7638



6409 Rhode Island Ave.
 Riverdale, MD 20737
 Phone: (301) 927-1000
 Fax: (301) 699-8690

PRZ-75-75


SOFFIT/WALL REVEAL

Specify as: Pittcon Plaster Molding

Model No. **PRZ-75-75**
PRZ-75-V-75 (vented)

MATERIAL: Aluminum alloy.....6063 T5
 Finish.....Clear Anodized
 Thickness......050" nominal


Many optional finishes are available. Consult factory for pricing and availability. Finishes meet or exceed AAMA standards for scratches or blemishes.



NO SCALE

TYPICAL SECTION

Model No.	Width	Depth
PRZ-75-75	3/4" (19.1mm)	3/4" (19.1mm)
PRZ-75-V-75	3/4" (19.1mm)	3/4" (19.1mm)



© 2008 Pittcon Industries



2090 Del Rio Way, Unit B
 Ontario, CA 91761
 Phone: (909) 773-0001
 Fax: (909) 773-0091

3330 W. Flower Street
 Phoenix, AZ 85017
 Phone: (602) 233-9100
 Fax: (602) 233-9400

Pittcon Industries
 DIVISION OF PITTCOON ARCHITECTURAL METALS, LLC
800 637-7638



6409 Rhode Island Ave.
 Riverdale, MD 20737
 Phone: (301) 927-1000
 Fax: (301) 699-8690

PCS 75-25/25


CHANNEL SCREED

Specify as: Pittcon Plaster Molding

Model No. PCS-75-25/25

MATERIAL: Aluminum alloy.....6063 T5
 Finish.....Clear Anodized
 Thickness......050" nominal


Many optional finishes are available. Consult factory for pricing and availability. Finishes meet or exceed AAMA standards for scratches or blemishes.



NO SCALE

TYPICAL SECTION

Model No.	Width	Depth
PCS-75-25/25	1/4" (6.4mm)	3/4" (19.1mm)



© 2008 Pittcon Industries

West

2090 Del Rio Way, Unit B
 Ontario, CA 91761
 Phone: (909) 773-0001
 Fax: (909) 773-0091

3330 W. Flower Street
 Phoenix, AZ 85017
 Phone: (602) 233-9100
 Fax: (602) 233-9400

Pittcon Industries
 DIVISION OF PITTCO ARCHITECTURAL METALS, LLC
 800 637-7638

East

6409 Rhode Island Ave.
 Riverdale, MD 20737
 Phone: (301) 927-1000
 Fax: (301) 699-8690

FCM-75


FASCIA CORNER

Specify as: Pittcon Plaster Molding

Model No. FCM-75

MATERIAL: Aluminum alloy.....6063 T5
 Finish.....Clear Anodized
 Thickness......050" nominal

Many optional finishes are available. Consult factory for pricing and availability. Finishes meet or exceed AAMA standards for scratches or blemishes.




NO SCALE

TYPICAL SECTION

Model No.	Width	Depth
-----------	-------	-------

FCM-75	1-5/8 (41.3mm)	3/4" (19.1mm)
--------	----------------	---------------



© 2008 Pittcon Industries

West

2090 Del Rio Way, Unit B
 Ontario, CA 91761
 Phone: (909) 773-0001
 Fax: (909) 773-0091

3330 W. Flower Street
 Phoenix, AZ 85017
 Phone: (602) 233-9100
 Fax: (602) 233-9400

Pittcon Industries
 DIVISION OF PITTCOON ARCHITECTURAL METALS, LLC
 800 637-7638

East

6409 Rhode Island Ave.
 Riverdale, MD 20737
 Phone: (301) 927-1000
 Fax: (301) 699-8690

WPM-75-300


SOFFIT REVEAL

Specify as: **Pittcon Plaster Molding**

Model No. **WPM-75-300**
WPM-75-V-300 (vented)

MATERIAL: Aluminum alloy.....6063 T5
 Finish.....Clear Anodized
 Thickness......050" nominal


Many optional finishes are available. Consult factory for pricing and availability. Finishes meet or exceed AAMA standards for scratches or blemishes.



NO SCALE

TYPICAL SECTION

Model No.	Width	Depth
WPM-75-300	3" (76.2mm)	3/4" (19.1mm)
WPM-75-V-300	3" (76.2mm)	3/4" (19.1mm)



© 2008 Pittcon Industries



2090 Del Rio Way, Unit B
 Ontario, CA 91761
 Phone: (909) 773-0001
 Fax: (909) 773-0091

3330 W. Flower Street
 Phoenix, AZ 85017
 Phone: (602) 233-9100
 Fax: (602) 233-9400

Pittcon Industries
 DIVISION OF PITTCO ARCHITECTURAL METALS, LLC
 800 637-7638



6409 Rhode Island Ave.
 Riverdale, MD 20737
 Phone: (301) 927-1000
 Fax: (301) 699-8690

PCSV-75-Short


"V" CHANNEL SCREED

Specify as: Pittcon Plaster Molding

Model No. PCSV-75-Short

MATERIAL: Aluminum alloy.....6063 T5
 Finish.....Clear Anodized
 Thickness......050" nominal


Many optional finishes are available. Consult factory for pricing and availability. Finishes meet or exceed AAMA standards for scratches or blemishes.



NO SCALE

TYPICAL SECTION

Model No.	Width	Depth
PCSV-75-Short	3/4" (19.1mm)	3/4" (19.1mm)



© 2008 Pittcon Industries

West

2090 Del Rio Way, Unit B
 Ontario, CA 91761
 Phone: (909) 773-0001
 Fax: (909) 773-0091

3330 W. Flower Street
 Phoenix, AZ 85017
 Phone: (602) 233-9100
 Fax: (602) 233-9400

Pittcon Industries
 DIVISION OF PITTCOON ARCHITECTURAL METALS, LLC
 800 637-7638

East

6409 Rhode Island Ave.
 Riverdale, MD 20737
 Phone: (301) 927-1000
 Fax: (301) 699-8690

SV SERIES


VENTED SOFFIT REVEAL

Specify as: Pittcon Plaster Molding

Model No. SV-xx-V-xxx

MATERIAL: Aluminum alloy.....6063 T5
 Finish.....Factory Primed
 Thickness......050" nominal

Many optional finishes are available. Consult factory for pricing and availability. Finishes meet or exceed AAMA standards for scratches or blemishes.





EXAMPLE DETAIL

The SV-75-V-300 is designed for use with E.I.F.S. systems and may be installed as a decorative cover plate (shown) or with a finish coat of plaster flush to the face of the 3/4" wide flange. Typical installation is with a finish screw through the center vent slot into metal framing above.

SV-75-V-300 TYPICAL SECTION
HALF SCALE

Model No.	Reveal Width	O/A Width
SV-75-V-300	3" (76.2mm)	4-1/2" (114.3mm)



© 2008 Pittcon Industries



2090 Del Rio Way, Unit B
 Ontario, CA 91761
 Phone: (909) 773-0001
 Fax: (909) 773-0091

3330 W. Flower Street
 Phoenix, AZ 85017
 Phone: (602) 233-9100
 Fax: (602) 233-9400

Pittcon Industries
 DIVISION OF PITTCOON ARCHITECTURAL METALS, LLC
800 637-7638



6409 Rhode Island Ave.
 Riverdale, MD 20737
 Phone: (301) 927-1000
 Fax: (301) 699-8690